



Paradigm[®]

THE ULTIMATE IN SOUND FOR MUSIC AND HOME THEATER™

HIGH-PERFORMANCE
SPEAKER STANDS & WALL BRACKETS

When “bookshelf” sized speakers are placed on a floor or against a wall their sonic output becomes “connected” to your floor or walls. This results in sound that is muddy, distorted and lacking in clarity. This type of placement also causes sound from the speakers to transfer into your audio/video furniture as well as to other audio and home theater components, further reducing overall sonic performance.

Not only does the speaker’s sound suffer, but neighbors and other family members will as well. How? When the speaker’s sound gets into floors and walls others will hear it almost as loudly as you do. The solution is to isolate your speakers from floor and walls, essentially “disconnecting” the speaker’s sound from your room.

PARADIGM® speaker stands elevate and isolate speakers from floors and walls. Where appropriate, center posts are fillable to help minimize resonances and provide added stability. Isolation pads are often included to further dampen vibrations and unwanted resonances. Sound is clearer and cleaner with much better imaging and a greater sense of realism. For dramatically superior sound and unsurpassed value look no further than PARADIGM® High Performance Stands!



LS

LS-10, LS-20, LS-30

Base: Heavy die-cast zinc (LS-10).
 Weighted die-cast aluminum (LS-20/30).
 Post: Steel tube. Hidden cable channel.
 Finished with end cap.
 Adjustable Locking Spikes: Included (LS-20/30).
 Rubber Feet: Included (optional use with LS-20/30).

LS-15(not shown), LS-18, LS-25

Base: Heavy tempered glass.
 Post: Extruded aluminum. Hidden cable channel. Finished with end cap.
 Adjustable Locking Spikes: Included (LS-25).
 Rubber Feet: Included.



J

Top: Heavy-duty solid steel.
 Base: Die-cast aluminum. MDF composition on J-18C.
 Post(s): Extruded aluminum. Fillable for added stability. Hidden cable channel.
 Adjustable Locking Spikes: Bottom (regular size) and Top (mini size).
 Isolation Pads: Included.



Heights:
 LS-10 – 16" (41 cm)
 LS-15 – 18-1/2" (47 cm)
 LS-18 – 18" (46 cm)
 LS-20 – 37" (94 cm)
 LS-25 – 39-1/2" (100 cm)
 LS-30 – 39" (99 cm)

Finishes:
 Black, Silver
 White (For LS-10, LS-30 only)

LS | SERIES

S

Top: Plated steel.
 Base: Die-cast steel.
 Post: Heavy-duty steel. Fillable for added stability. Hidden cable channel.
 Adjustable Spikes: Included.
 Isolation Pads: Included.

Heights:
 S-18 – 18" (46 cm)
 S-22 – 22" (56 cm)
 S-26 – 26" (66 cm)
 S-30 – 30" (76 cm)

Finish:
 Black

S | SERIES

GS

Base: **GS-30** – Extruded aluminum with pre-attached solid iron ballast and tempered glass bottom plate.
GS-40 – Weighted cast-aluminum with decorative trim piece.
 Post: Extruded aluminum. Hidden cable channel(s).
 Adjustable Locking Spikes: Included.
 Rubber or Polymer Feet: Alternative to spikes.
 Isolation Pads: Included.



Heights:
 J-18C – 17-3/4" (45 cm)
 J-23 – 23" (58 cm)
 J-29 – 29" (74 cm)

Finish:
 Black/Dark Gray Metallic

J | SERIES

MB



MB-20
 Wall-Mount Brackets for speakers with 60-mm spaced mounting holes. Positionable angles.
 Ultra-close-to-wall mounting. 2 per pkg.
 Maximum Weight Load: Up to 5 lb (2.3 kg) each.



MB-40
 Fully Positionable Wall-Mount Brackets for speakers with 60-mm-spaced mounting holes. Very-close-to-wall mounting. 2 per pkg.
 Maximum Weight Load: Up to 6 lb (2.7 kg) each.

MB-60
 Fully Positionable Wall-Mount Brackets for speakers with 60-mm-spaced mounting holes. Close-to-wall mounting. 2 per pkg.
 Maximum Weight Load: Up to 18 lb (8.2 kg) each.



Heights:
 GS-30 – 33-1/2" (85 cm)
 GS-40 – 43-1/2" (110 cm)

Finishes:
 GS-30: Bronze, Graphite
 GS-40: Silver, Black

GS | SERIES

Wall-Mounting Brackets:
 MB-20 | MB-40 | MB-60

Finishes:
 Black, White
 Silver (For MB-40, MB-60 only)

MB | SERIES

NOTE: Heights include 1/2" (1.27 cm) for spikes

Paradigm®

SPECIFICATIONS AND/OR FEATURES ARE SUBJECT TO CHANGE WITHOUT NOTICE AS DESIGN IMPROVEMENTS ARE INCORPORATED. COPYRIGHT © PARADIGM ELECTRONICS INC. ALL RIGHTS RESERVED.
PHOTOGRAPHY BY JASON HARTOG PHOTOGRAPHY. Paradigm Electronics Inc., 205 Amnegen Blvd., Mississauga, ON Tel: (905) 564-1994 Fax: (905) 564-8726 PARSTANDCATV1.0 Printed in Canada

PARADIGM® STAND	MATCHING PARADIGM® SPEAKER ...
LS-10	Cinema™ 110 L/R
LS-15	Cinema™ 220 (stand not shown)
LS-18	Millenia™ 20, Cinema™ 220/330
LS-20	Cinema™ 110 L/R
LS-25	Cinema™ 220/330
LS-30	Cinema™ 70/90/ADP™
S-18	Titan Monitor, Studio 40
S-22	Titan Monitor, Studio 40
S-26	Mini Monitor, Studio 20, Studio ADP-590
S-30	Atom Monitor, ADP-190, ADP-390
J-18C	CC-290/390, Studio CC-590/690, Signature C3/C5
J-23	Titan Monitor, Studio 40, Signature S4
J-29	Atom Monitor, Mini Monitor, ADP-390, Studio ADP-590, Studio 20, Signature S2, Signature ADP3
GS-30	Millenia™ ADP, Signature S1, Signature ADP1
GS-40	Studio Esprit (L/R)
WALL-MOUNT BRACKETS	DESIGNED FOR ...
MB-20	All Cinema™ speakers; included with Stylus® 170
MB-40	All Cinema™ speakers and Stylus® 170/270
MB-60	Atom Monitor, Mini Monitor, and Stylus® 170/270/370/370-SM/470/470-SM